

FIG. 1




FIG. 2




FIG. 3A




FIG. 3B




FIG. 4

CONFIGURATION TEMPLATE MANAGEMENT CONSOLE

TEMPLATE MANAGEMENT

--Cards-----

- OTCQ
- OTC48**
- OTC192
- GET
- AC1T
- AC45T
- ATMC48
- CCC768

--Facilities-----

- OCQ

OTC48 template

PRIMARY STATE

ALARM PROFILE

Last Updated: 2001-03-14 16:58:24

FIG. 5A

CONFIGURATION TEMPLATE MANAGEMENT CONSOLE

TEMPLATE MANAGEMENT

GET

- AC1T
- AC45T
- ATMC48
- CCC768

--Facilities-----

- OCQ
- OC48**
- OC192
- TNL
- T1
- T3
- STSp

OC48 template

PRIMARY STATE

SFBER THRLD

SDBER THRLD

EXPCTD SECT TRC

TRNSMTD SECT TRC

TRANSMIT ON


APSID

ALARM PROFILE


Last Updated: 2001-03-14 17:05:16


FIG. 5B


CONFIGURATION TEMPLATE MANAGEMENT CONSOLE


 **TEMPLATE MANAGEMENT**


GET
AC1T
AC45T
ATMC48
CCC768
--Facilities-----
OCQ
OC48
OC192
TNL
T1
T3
STSp

OC48  template

REVERTIVE (YES/NO) YES 

WAIT TO RESTORE (5-12 Seconds) 5 Seconds 

PROTECTION TYPE (1+1 OR 1:1) 1+1 

PROTECTION DIRECTION (UNI/BI) UNI 


ALARM PROFILE ID (1-9) 1 

FIG. 5C

8/12




FIG. 6

700




FIG. 7

10/12




FIG. 8




FIG. 9

12/12




FIG. 10




FIG. 11